

Identification Guide - Guida Identificativa Bestimmungsführer - Guide d'identification




2P



3P

Reference Riferimento Bezeichnung Référence	Mobile Half Piastra Mobile Mobilteil Partie Mobile
M	KIT3FNP...
	KIT3FNP...
	KIT3FNP...
	KIT3FNP...

Reference Riferimento Bezeichnung Référence	Mobile Half Piastra Mobile Mobilteil Partie Mobile
M	KIT2FNP...
	KIT2FNP...
	KIT2FNP...
	KIT2FNP...




Model Modello Modell Modèle

PB - PS - P2
P5 - P6 - P8

Size Base BG Taille

06=3/8"
08=1/2"
10=1/2"+3/4"



Thread Filetto Anschluß Filetage




...12 GAS = 1/2" BSP
...12 NPT = 1/2" NPT
...12 SAE = 34-16 UNF
...34 GAS = 3/4" BSP
...2/2215 = M22x1.5

Reference Riferimento Bezeichnung Référence	Fixed Half Piastra Fissa Fixteil Partie Fixe
L	KIT2FNB...
	KIT2FNB...
	KIT2FNB...
	KIT2FNB...

2P206

3P206


(2 X 3/8")




Size Base BG Taille		Thread Filetto Anschluss Filetage	Part Number Codice Articolo Artikelnummer Désignation	Fixed Half Piastra Fissa Fixteil Partie Fixe	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Working pressure Pressione di esercizio Betriebsdruck Pression de service	Burst Pressures Pressione di scoppio Berstdruck Pression d' éclatement	Flow Rate Portata Durchsatz Débit	Electrical Lines Linee Elettriche Elektroanschluss Raccordement Electrique	Weight Peso Gewicht Poids
mm	inch					MPa (PSI)	MPa (PSI)	l/min (GPM)	#	
10	3/8"	F	3/8" BSP Female	2P206-2-38G F C	2P206-2-38G M C 3P206-2-38G M C	25 (3625) 25 (3625)	100 (14500) 100 (14500)	40 (10.6) 40 (10.6)	0 0	
			1/2" BSP Female	2P206-2-12G F C	2P206-2-12G M C 3P206-2-12G M C	25 (3625) 25 (3625)	100 (14500) 100 (14500)	40 (10.6) 40 (10.6)	0 0	
		2/	M18x1,5 Male 12L	2P206-2-2/18 F C	2P206-2-2/18 M C	25 (3625)	100 (14500)	40 (10.6)	0	
			M22x1,5 Male 15L	2P206-2-2/22 F C	2P206-2-2/22 M C	25 (3625)	100 (14500)	40 (10.6)	0	

Accessories:

Fixed Half
Piastra Fissa
Fixteil
Partie Fixe






Mobile Half
Piastra Mobile
Mobilteil
Partie Mobile



Reference Riferimento Bezeichnung Référence	Fixed Half Piastra Fissa Fixteil Partie Fixe	Weight Peso Gewicht Poids	Package Confezione Packungseinheit Colis	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Weight Peso Gewicht Poids	Package Confezione Packungseinheit Colis	Mobile Part Support Supporto parte mobile Parkplatte Support pour la partie mobile
A	KIT SP5 S						
B				KIT VP4			
C				KIT GP4			
D	KIT LP206						
E	KIT TA P2						
A+B+D+E+F	KIT P206 F L						
G+C+B				KIT P206 M			S P2
M				KIT2FNP38GASM KIT2FNP38-2/18M KIT2FNP38-2/18M KIT2FNP38-2/22M KIT3FNP38GASM KIT3FNP38-12GM		15	
SK				SK MF 38		10	
L	KIT2FNB38GASF KIT2FNB38-12GF KIT2FNB38-2/18F KIT2FNB38-2/22F		15				
I							

Thread Filetto Anschluss Filetage





2P208


3P208

(2 X 1/2")


Size Base BG Taille		Thread Filetto Anschluss Filetage	Part Number Codice Articolo Artikelnummer Désignation	Fixed Half Piastra Fissa Fixteil Partie Fixe	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Working pressure Pressione di esercizio Betriebsdruck Pression de service	Burst Pressures Pressione di scoppio Berstdruck Pression d' éclatement	Flow Rate Portata Durchsatz Débit	Electrical Lines Linee Elettriche Elektroanschluss Raccordement Electrique	Weight Peso Gewicht Poids
mm	inch					MPa (PSI)	MPa (PSI)	l/min (GPM)	#	
12	1/2"	F	1/2" BSP Female	2P208-2-12G F C 3P208-2-12G F C	2P208-2-12G M C 3P208-2-12G M C	25 (3625) 25 (3625)	100 (14500) 100 (14500)	70 (18.5) 70 (18.5)	0 0	
			1/2" NPT Female	2P208-2-12N F C	2P208-2-12N M C	25 (3625)	100 (14500)	70 (18.5)	0	
			1/2" SAE Female	2P208-2-12S F C	2P208-2-12S M C 3P208-2-12S M C	25 (3625) 25 (3625)	100 (14500) 100 (14500)	70 (18.5) 70 (18.5)	0 0	
			3/4" BSP Female	2P208-2-34G F C	2P208-2-34G M C	25 (3625)	100 (14500)	70 (18.5)	0	
			3/4" SAE Female	2P208-2-34S F C	2P208-2-34S M C 3P208-2-34S M C	25 (3625) 25 (3625)	100 (14500) 100 (14500)	70 (18.5) 70 (18.5)	0 0	
		2/	M22x1,5 Male 15L	2P208-2-2/22 F C	2P208-2-2/22M C	25 (3625)	100 (14500)	70 (18.5)	0	

Accessories:

Fixed Half
Piastra Fissa
Fixteil
Partie Fixe






Mobile Half
Piastra Mobile
Mobilteil
Partie Mobile



Reference Riferimento Bezeichnung Référence	Fixed Half Piastra Fissa Fixteil Partie Fixe	Weight Peso Gewicht Poids	Package Confezione Packungseinheit Colis	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Weight Peso Gewicht Poids	Package Confezione Packungseinheit Colis	Mobile Part Support Supporto parte mobile Parkplatte Support pour la partie mobile
A	KIT SP5 S						
B				KIT VP8			
C				KIT GP4			
D	KIT LP208						
E	KIT TA P2						
A+B+D+E+F	KIT P208 F L						
G+C+B				KIT P208 M			S P2
M				KIT2FNP12GASM KIT2FNP12NPT M KIT2FNP12-2/22M KIT2FNP12-12SM KIT2FNP12-34GM KIT3FNP12-34SM KIT3FNP12-12GAS M KIT3FNP12-12SM KIT3NPT12-2/22M KIT3FNP12-34SM		15	
SK				SK MF 12		10	
L	KIT2FNB12GASF KIT2FNB12NPT F KIT2FNB12-2/22F KIT2FNP12-12SF KIT2FNP12-34GF KIT2FNP12-34SF		15				
I							


Thread Filetto Anschluss Filetage






Size Base BG Taille		Thread Filetto Anschluss Filetage	Part Number Codice Articolo Artikelnummer Désignation	Fixed Half Piastra Fissa Fixteil Partie Fixe	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Working pressure Pressione di esercizio Betriebsdruck Pression de service	Burst Pressures Pressione di scoppio Berstdruck Pression d' éclatement	Flow Rate Portata Durchsatz Débit	Electrical Lines Linee Elettriche Elektroanschluss Raccordement Electrique	Weight Peso Gewicht Poids
mm	inch					MPa (PSI)	MPa (PSI)	l/min (GPM)	#	
10	3/8"	F	3/8" BSP Female	2PB06-2-38G F C	2PB06-2-38G MC	25 (3625)	100 (14500)	40 (10.6)	0	
			1/2" BSP Female	2PB06-2-12G F C	2PB06-2-12G MC 3PB06-2-12G MC	25 (3625) 25 (3625)	100 (14500) 100 (14500)	40 (10.6) 40 (10.6)	0 0	


Fixed Half
Piastra Fissa
Fixteil
Partie Fixe




Mobile Half
Piastra Mobile
Mobilteil
Partie Mobile



Reference Riferimento Bezeichnung Référence	Fixed Half Piastra Fissa Fixteil Partie Fixe	Weight Peso Gewicht Poids	Package Confezione Packungaseinheit Colis	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Weight Peso Gewicht Poids	Package Confezione Packungaseinheit Colis	Mobile Part Support Supporto parte mobile Parkplatte Support pour la partie mobile
A	KIT SP5 S						
B				KIT VPB06			
C				KIT GP4			
D	KIT LPB06						
E	KIT TA P2						
A+B+D+E+F	KIT PB06 F L						
G+C+B				KIT PB06 M			S PB06
M				KIT2FNP38GASM KIT2FNP38-12GM KIT2FNP38-2/18M KIT2FNP38-2/22M KIT3FNP38GASM KIT3FNP38-12GM KIT3FNP12-12GAS M KIT3FNP12-12SM KIT3NPT12-2/22M KIT3FNP12-34SM		15	
SK				SK MF 38		10	
L	KIT2FNB38GASF KIT2FNB38-12GF KIT2FNB38-2/18F KIT2FNB38-2/22F		15				
H/I							




2PS06




Size Base BG Taille		Thread Filetto Anschluss Filetage	Part Number Codice Articolo Artikelnummer Désignation	Fixed Half Piastra Fissa Fixteil Partie Fixe	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Working pressure Pressione di esercizio Betriebsdruck Pression de service	Burst Pressure Pressione di scoppio Berstdruck Pression d'éclatement	Flow Rate Portata Durchsatz Débit	Electrical Lines Linee Elettriche Elektroanschluss Raccordement Electrique	Weight Peso Gewicht Poids
mm	inch					MPa (PSI)	MPa (PSI)	l/min (GPM)	#	
10	3/8"	F	3/8" BSP Female	2PS06-4-38G F C	2PS06-4-38G M C	25 (3625)	100 (14500)	40 (10.6)	0	
			1/2" BSP Female	2PS06-4-12G F C	2PS06-4-12G M C	26 (3625)	100 (14500)	40 (10.6)	0	
		2/	M22x1,5 Male 15L	2PS06-4-2/22F C	2PS06-4-2/22M C	25 (3625)	100 (14500)	40 (10.6)	0	

Accessories:

Fixed Half
Piastra Fissa
Fixteil
Partie Fixe




Mobile Half
Piastra Mobile
Mobilteil
Partie Mobile




Reference Riferimento Bezeichnung Référence	Fixed Half Piastra Fissa Fixteil Partie Fixe	Weight Peso Gewicht Poids	Package Confezione Packungseinheit Colis	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Weight Peso Gewicht Poids	Package Confezione Packungseinheit Colis	Mobile Part Support Supporto parte mobile Parkplatte Support pour la partie mobile
A	KIT SP5 S						
B				KIT VP4			
C				KIT GP4			
D	KIT LP606						
E	KIT TA P2						
A+B+D+E+F	KIT PS06 F L						
G+C+B				KIT PS06 M			S PS
M				KIT2FNP38GASM KIT2FNP38-12GM KIT2FNP38-2/18M KIT2FNP38-2/22M KIT3FNP38GASM KIT3FNP38-12GM		15	
SK				SK MF 38		5	
L	KIT2FNB38GASF KIT2FNB38-12GF KIT2FNB38-2/18F KIT2FNB38-2/22F		15				
H/I							

Thread Filetto Anschluss Filetage


F



2/




2PS08




Size Base BG Taille		Thread Filetto Anschluss Filetage	Part Number Codice Articolo Artikelnummer Désignation	Fixed Half Piastra Fissa Fixteil Partie Fixe	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Working pressure Pressione di esercizio Betriebsdruck Pression de service	Burst Pressures Pressione di scoppio Berstdruck Pression d' éclatement	Flow Rate Portata Durchsatz Débit	Electrical Lines Linee Elettriche Elektroanschluss Raccordement Electrique	Weight Peso Gewicht Poids
mm	inch					MPa (PSI)	MPa (PSI)	l/min (GPM)	#	
12	1/2"	F	1/2" BSP Female	2PS08-1-4-12G F C	2PS08-1-4-12G M C	25 (3625)	100 (14500)	70 (18.5)	1	
		2/	M22x1,5 Male 15L	2PS08-1-4-2/22F C	2PS08-1-4-2/22M C	25 (3625)	100 (14500)	70 (18.5)	1	

Accessories:

Fixed Half
Piastra Fissa
Fixteil
Partie Fixe





Mobile Half
Piastra Mobile
Mobilteil
Partie Mobile



Reference Riferimento Bezeichnung Référence	Fixed Half Piastra Fissa Fixteil Partie Fixe	Weight Peso Gewicht Poids	Package Confezione Packungseinheit Colis	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Weight Peso Gewicht Poids	Package Confezione Packungseinheit Colis	Mobile Part Support Supporto parte mobile Parkplatte Support pour la partie mobile
A	KIT SP5 S						
B				KIT VP8			
C				KIT GP4			
D	N/A						
E	KIT TA P6						
A+B+D+E+F	KIT PS08 F L						
G+C+B				KIT PS08 M			S PS
M				KIT2FNP12GASM KIT2FNP12-2/22M KIT3FNP12GAS M KIT3FNP12GAS M KIT3FNP12-2/22M		10	
SK				SK MF 12		5	
L	KIT2FNB12GASF KIT2FNB12-2/22F		10				
H/I	KIT SPEL08-3F KIT SPEL08-7F		10	KIT SPEL08-3M KIT SPEL08-7M		10	

Thread Filetto Anschluss Filetage



NV-ANV-HNV-TNV

CPV-CNV-3CFPV-4SRPV-VF-VFB

CVV-VV-VVS-VVS316-FB-PVVM

VU


DF

FFH-FHV-3FFH-4BD4FH

MULTIFASTER

2P506


3P506




Size Base BG Taille		Thread Filetto Anschluss Filetage	Part Number Codice Articolo Artikelnummer Désignation	Fixed Half Piastra Fissa Fixteil Partie Fixe	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Working pressure Pressione di esercizio Betriebsdruck Pression de service	Burst Pressure Pressione di scoppio Berstdruck Pression d'éclatement	Flow Rate Portata Durchsatz Débit	Electrical Lines Linee Elettriche Elektroanschluss Raccordement Electrique	Weight Peso Gewicht Poids
mm	inch					MPa (PSI)	MPa (PSI)	l/min (GPM)	#	
10	3/8"	F	3/8" BSP Female	2P506-4-38G F C	2P506-4-38G M C	25 (3625)	100 (14500)	40 (10.6)	0	
					3P506-4-38G M C	25 (3625)	100 (14500)	40 (10.6)	0	
			1/2" BSP Female	2P506-4-12G F C	2P506-4-12G M C	25 (3625)	100 (14500)	40 (10.6)	0	
					3P506-4-12G M C	25 (3625)	100 (14500)	40 (10.6)	0	
		2/	M22x1,5 Male 15L	2P506-4-2-2/22F C	2P506-4-2-2/22M C	25 (3625)	100 (14500)	40 (10.6)	0	
		F	3/8" BSP Female	2P506-1-4-38G F C	2P506-1-4-38G M C	25 (3625)	100 (14500)	40 (10.6)	1(*)	

Accessories:

Fixed Half
Piastra Fissa
Fixteil
Partie Fixe




Mobile Half
Piastra Mobile
Mobilteil
Partie Mobile




Reference Riferimento Bezeichnung Référence	Fixed Half Piastra Fissa Fixteil Partie Fixe	Weight Peso Gewicht Poids	Package Confezione Verpackung Colis	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Weight Peso Gewicht Poids	Package Confezione Verpackung Colis	Mobile Part Support Supporto parte mobile Parkplatte Support pour la partie mobile
A	KIT SP5 S						
B				KIT VP4 - (*)KIT VP8			
C				KIT GP4			
D	KIT LP506						
E	KIT TA P5						
A+B+D+E+F	KIT P506 F L - (*)KIT P506-1 F L						
G+C+B				KIT P506 M - (*)KIT P506-1 M			S P5
M				KIT2FNP38GASM KIT2FNP38-12GM KIT2FNP38-2/22M KIT3FNP38GASM KIT3FNP38-12GM		15	
SK				SK MF 38		5	
L	KIT2FNB38GASF KIT2FNB38-12GF KIT2FNB38-2/18F KIT2FNB38-2/22F		15				
H / I	KIT SPEL08-3F - KIT SPEL08-7F		10	KIT SPEL08-3M - KIT SPEL08-7M		10	

Thread Filetto Anschluss Filetage


F



2/




2P5068




Size Base BG Taille		Thread Filetto Anschluss Filetage	Part Number Codice Articolo Artikelnummer Désignation	Fixed Half Piastra Fissa Fixteil Partie Fixe	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Working pressure Pressione di esercizio Betriebsdruck Pression de service	Burst Pressure Pressione di scoppio Berstdruck Pression d'éclatement	Flow Rate Portata Durchsatz Débit	Electrical Lines Linee Elettriche Elektroanschluss Raccordement Electrique	Weight Peso Gewicht Poids
mm	inch					MPa (PSI)	MPa (PSI)	l/min (GPM)	#	
10	3/8"	F	3/8" BSP Female	2P5068-8-38G F C	2P5068-8-38G M C	25 (3625)	100 (14500)	40 (10.6)	0	

Accessories:

Fixed Half
Piastra Fissa
Fixteil
Partie Fixe




Mobile Half
Piastra Mobile
Mobilteil
Partie Mobile




Reference Riferimento Bezeichnung Référence	Fixed Half Piastra Fissa Fixteil Partie Fixe	Weight Peso Gewicht Poids	Package Confezione Verpackung Colis	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Weight Peso Gewicht Poids	Package Confezione Verpackung Colis	Mobile Part Support Supporto parte mobile Parkplatte Support pour la partie mobile
A	KIT SP5						
B				KIT VP8)			
C				KIT GP4			
D	KIT LP508						
E	KIT TA P5						
A+B+D+E+F	KIT P5068 F L						
G+C+B				KIT P5068 M			S P5
M				KIT2FNP38GASM KIT2FNP38-12GM KIT2FNP38-2/22M		15	
SK				SK MF 38		5	
L	KIT2FNB38GASF KIT2FNB38-12GF KIT2FNB38-2/22F		15				
H / I							

Thread Filetto Anschluss Filetage

F



2/



NV-ANV-HNV-TNV

CPV-CNV-3CFPV-4SRPV-VF-VFB


CWV-VV-VVS-VVS316-FB-PVVM

VU

DF

FFH-FHV-3FFH-4BD4FH


MULTIFASTER

2P508


Size Base BG Taille		Thread Filetto Anschluss Filetage	Part Number Codice Articolo Artikelnummer Désignation	Fixed Half Piastra Fissa Fixteil Partie Fixe	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Working pressure Pressione di esercizio Betriebsdruck Pression de service	Burst Pressures Pressione di scoppio Berstdruck Pression d' éclatement	Flow Rate Portata Durchsatz Débit	Electrical Lines Linee Elettriche Elektroanschluss Raccordement Electrique	Weight Peso Gewicht Poids
mm	inch					MPa (PSI)	MPa (PSI)	l/min (GPM)	#	
12	1/2"	F	1/2" BSP Female	2P508-4-12G F C 3P508-4-12G F C (*)	2P508-4-12G M C 3P508-4-12G M C	25 (3625) 25 (3625)	100 (14500) 100 (14500)	70 (18.5) 70 (18.5)	0 0	
			1/2" NPT Female	2P508-4-12N F C	2P508-4-12N M C	25 (3625)	100 (14500)	70 (18.5)	0	
			3/4"-16 UNF Female	2P508-4-12S F C	2P508-4-12S M C	25 (3625)	100 (14500)	70 (18.5)	0	

Accessories:

Fixed Half
Piastra Fissa
Fixteil
Partie Fixe




Mobile Half
Piastra Mobile
Mobilteil
Partie Mobile




Reference Riferimento Bezeichnung Référence	Fixed Half Piastra Fissa Fixteil Partie Fixe	Weight Peso Gewicht Poids	Package Confezione Verpackung Colis	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Weight Peso Gewicht Poids	Package Confezione Verpackung Colis	Mobile Part Support Supporto parte mobile Parkplatte Support pour la partie mobile
A	KIT SP5 S						
B				KIT VP8			
C				KIT GP4			
D	KIT LP508 (*) KIT LP506-1						
E	KIT TA P5						
A+B+D+E+F	KIT P508 F L (*) KIT P506-1 F L						
G+C+B				KIT P508 M			S P5
M				KIT2FNP12GAS M KIT2FNP12NPT M KIT2FNP12-12SM KIT3FNP12GAS M KIT3FNP12-12SM KIT3FNP12-34SM		10	
SK				SK MF 38		5	
L	KIT2FNB12GAS F KIT2FNB12NPT F KIT2FNB12-12SF KIT2FNB12-2/22F		10				
H / I	KIT SPEL08-3F KIT SPEL08-7F		10	KIT SPEL08-3M KIT SPEL08-7M		10	

Thread Filetto Anschluss Filetage


F



2/




2P510




Size Base BG Taille		Thread Filetto Anschluss Filetage	Part Number Codice Articolo Artikelnummer Désignation	Fixed Half Piastra Fissa Fixteil Partie Fixe	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Working pressure Pressione di esercizio Betriebs- druck Pression de service	Burst Pressures Pressione di scoppio Berstdruck Pression d' éclate- ment	Flow Rate Portata Durchsatz Débit	Electrical Lines Linee Elettriche Elektroanschluss Raccordement Electrique	Weight Peso Gewicht Poids
mm	inch					MPa (PSI)	MPa (PSI)	l/min (GPM)	#	
20	3/4"	F	3/4" BSP Female	2P510-2-34G F C	2P510-2-34G M C	25 (3625)	100 (14500)	125 (33)	0	
				3P510-2-34G F C	3P510-2-34G M C	25 (3625)	100 (14500)	125 (33)	0	
			1 1/16-2UN 2B Female	2P510-2-34S F C	2P510-2-34S M C	25 (3625)	100 (14500)	125 (33)	0	
				3P510-2-34S M C	3P510-2-34S M C	25 (3625)	100 (14500)	125 (33)	0	
12 & 20	1/2" & 3/4"	F	1/2" & 3/4" BSP Female	2P510-4-A F C	2P510-4-A M C	25 (3625)	100 (14500)	70 (18.5) & 125 (33)	0	

Accessories:

Fixed Half
Piastra Fissa
Fixteil
Partie Fixe




Mobile Half
Piastra Mobile
Mobilteil
Partie Mobile



Reference Riferimento Bezeichnung Référence	Fixed Half Piastra Fissa Fixteil Partie Fixe	Weight Peso Gewicht Poids	Package Confezione Verpackung Colis	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Weight Peso Gewicht Poids	Package Confezione Verpackung Colis	Mobile Part Support Supporto parte mobile Parkplatte Support pour la partie mobile
A	KIT SP5 S						
B				KIT VP8			
C				KIT GP4			
D	KIT LP510						
E	KIT TA P5						
A+B+D+E+F	KIT P510 F L						
G+C+B				KIT P510 M			S P510
M				KIT2FNP12GAS M KIT2FNP12-12SM KIT2FNP12NPT M KIT2FNP34GAS M		10	
				KIT3FNP34GAS M KIT3FNP12-34SM		5	
SK				SK MF 38		5	
L	KIT2FNB12GAS F KIT2FNB12-12SF KIT2FNB12NPT F		10				
	KIT2FNB34GAS F		5				
H / I	KIT SPEL08-3F - KIT SPEL08-7F		10	KIT SPEL08-3M KIT SPEL08-7M		10	

Thread Filetto Anschluss Filetage

F



NV-ANV-HNV-TNV

CPV-CNV-3CFPV-4SRPV-VF-VFB


CVV-VV-VVS-VVS316-FB-PVVM

VU

DF

FFH-FHV-3FFH-4BD4FH


MULTIFASTER

2P606


Size Base BG Taille		Thread Filetto Anschluss Filetage	Part Number Codice Articolo Artikelnummer Désignation	Fixed Half Piastra Fissa Fixteil Partie Fixe	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Working pressure Pressione di esercizio Betriebsdruck Pression de service	Burst Pressures Pressione di scoppio Berstdruck Pression d' éclatement	Flow Rate Portata Durchsatz Débit	Electrical Lines Linee Elettriche Elektroanschluss Raccordement Electrique	Weight Peso Gewicht Poids
mm	inch					MPa (PSI)	MPa (PSI)	l/min (GPM)	#	
10	3/8"	F	3/8" BSP Female	2P606-6-12G F C	2P206-6-12G M C	25 (3625)	100 (14500)	40 (10.6)	0	
			3/4"-16 UNF Female	2P606-6-12S F C	2P206-6-12S M C	25 (3625)	100 (14500)	40 (10.6)	0	

Accessories:

Fixed Half
Piastra Fissa
Fixteil
Partie Fixe




Mobile Half
Piastra Mobile
Mobilteil
Partie Mobile




Reference Riferimento Bezeichnung Référence	Fixed Half Piastra Fissa Fixteil Partie Fixe	Weight Peso Gewicht Poids	Package Confezione Verpackung Colis	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Weight Peso Gewicht Poids	Package Confezione Verpackung Colis	Mobile Part Support Supporto parte mobile Parkplatte Support pour la partie mobile
A	KIT SP5 S						
B				KIT VP4			
C				KIT GP4			
D	KIT LP606						
E	KIT TA P6						
A+B+D+E+F	KIT P606 F L						
G+C+B				KIT P606 M			S P6
M				KIT2FNP38GASM KIT2FNP38-12GM KIT2FNP38-2/18M KIT2FNP38-2/22M KIT3FNP38GASM KIT3FNP38-12GM		15	
SK				SK MF 38		5	
L	KIT2FNB38GASF KIT2FNB38-12GF KIT2FNB38-2/18F KIT2FNB38-2/22F		15				
H / I							

Thread Filetto Anschluss Filetage

F




2P608




Size Base BG Taille		Thread Filetto Anschluss Filetage	Part Number Codice Articolo Artikelnummer Désignation	Fixed Half Piastra Fissa Fixteil Partie Fixe	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Working pressure Pressione di esercizio Betriebsdruck Pression de service	Burst Pressures Pressione di scoppio Berstdruck Pression d' éclatement	Flow Rate Portata Durchsatz Débit	Electrical Lines Linee Elettriche Elektroanschluss Raccordement Electrique	Weight Peso Gewicht Poids
mm	inch					MPa (PSI)	MPa (PSI)	l/min (GPM)	#	
12	1/2"	F	3/4" - 16 UNF Female	2P608-4-12S F C	2P608-4-12S M C	25 (3625)	100 (14500)	70 (18.5)	0	
				2P608-6-12S F C	2P608-6-12S M C	25 (3625)	101 (14500)	71 (18.5)	0	
			1-1/16" - 12 UN 2B Female	2P608-6-34S F C	2P608-6-34S M C	25 (3625)	100 (14500)	70 (18.5)	0	
			1/2" BSP Female	2P608-6-12G F C	2P608-6-12G M C	25 (3625)	100 (14500)	70 (18.5)	0	
				3P608-6-12G F C	3P608-2-12G M C	25 (3625)	100 (14500)	70 (18.5)	0	

Accessories:

Fixed Half
Piastra Fissa
Fixteil
Partie Fixe




Mobile Half
Piastra Mobile
Mobilteil
Partie Mobile



Reference Riferimento Bezeichnung Référence	Fixed Half Piastra Fissa Fixteil Partie Fixe	Weight Peso Gewicht P oids	Package Confezione Verpackung Colis	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Weight Peso Gewicht Poids	Package Confezione Verpackung Colis	Mobile Part Support Supporto parte mobile Parkplatte Support pour la partie mobile
A	KIT SP5 S						
B				KIT VP8			
C				KIT GP4			
D	KIT LP608						
E	KIT TA P608						
A+B+D+E+F	KIT P608 F L						
G+C+B				KIT P608 M			S P608
M				KIT2FNP12GAS M KIT2FNP12-12SM KIT2FNP12-2/22M KIT2FNP12-34SM KIT3FNP12GAS M		10	
SK				SK MF 12		5	
L	KIT2FNB12GAS F KIT2FNB12-12SF KIT2FNB12-34SF KIT2FNB12-2/22F		10				
H / I	KIT SPEL08-3F KIT SPEL08-7F		10	KIT SPEL08-3M KIT SPEL08-7M		10	

Thread Filetto Anschluss Filetage

F



NV-ANV-HNV-TNV

CPV-CNV-3CFPV-4SRPV-VF-VFB

CWV-VV-VVS-VVS316-FB-PVVM


VU

DF

FFH-FHV-3FFH-4BD4FH

MULTIFASTER


2P808




Size Base BG Taille		Thread Filetto Anschluss Filetage	Part Number Codice Articolo Artikelnummer Désignation	Fixed Half Piastra Fissa Fixteil Partie Fixe	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Working pressure Pressione di esercizio Betriebsdruck Pression de service	Burst Pressures Pressione di scoppio Berstdruck Pression d' éclatement	Flow Rate Portata Durchsatz Débit	Electrical Lines Linee Elettriche Elektroanschluss Raccordement Electrique	Weight Peso Gewicht Poids
mm	inch					MPa (PSI)	MPa (PSI)	l/min (GPM)	#	
12	1/2"	F	1/2" BSP Female	2P808-6-12G F C	2P808-6-12G M C	25 (3625)	100 (14500)	70 (18.5)	0	
				2P808-8-12G FC	2P808-8-12G MC	25 (3625)	101 (14500)	70 (18.5)	0	
					3P808-8-12G MC	25 (3625)	100 (14500)	70 (18.5)	0	

Accessories:

Fixed Half
Piastra Fissa
Fixteil
Partie Fixe




Mobile Half
Piastra Mobile
Mobilteil
Partie Mobile



Reference Riferimento Bezeichnung Référence	Fixed Half Piastra Fissa Fixteil Partie Fixe	Weight Peso Gewicht Poids	Package Confezione Verpackung Colis	Mobile Half Piastra Mobile Mobilteil Partie Mobile	Weight Peso Gewicht Poids	Package Confezione Verpackung Colis	Mobile Part Support Supporto parte mobile Parkplatte Support pour la partie mobile
A	KIT SP5 S						
B				KIT VP8			
C				KIT GP8			
D	KIT LP808						
E	KIT TA P8						
A+B+D+E+F	KIT P808 F L						
G+C+B				KIT P808 M			S P8
M				KIT2FNP12GAS M KIT2FNP12-12SM KIT2FNP12-2/22M KIT2FNP12-34SM KIT3FNP12GAS M		10	
SK				SK MF 12		5	
L	KIT2FNB12GAS F KIT2FNB12-12SF KIT2FNB12-34SF KIT2FNB12-2/22F		10				
H / I	KIT SPEL08-3F KIT SPEL08-7F		10	KIT SPEL08-3M KIT SPEL08-7M		10	

Thread Filetto Anschluss Filetage

F



Thread Filetto Anschluss Filetage				Thread Filetto Anschluss Filetage			
F		BSP NPTF METRIC	DIN 3852-2-X ANSI B1.20.3 DIN 3852-1- X	12/		SAE	SAE J 1453
0		BSP SAE METRIC	BS 5380 SAE J 1926-1 ISO 6149-1	14/		SAE	SAE J 514
1/		BSP NPTF SAE METRIC	DIN 3852-2-B ANSI B1.20.3 SAE J 1926-3 ISO 6149-2	16/		BSP	ISO/CD 8434-6
2/		METRIC	ISO 8434-1-L	21/		BSP METRIC	DIN 3852-11 tab. 2 DIN 3852-11 tab. 1
3/		METRIC	ISO 8434-1-S	22/		BSP METRIC	DIN 3852-2-A DIN 3852-1-A
4/		BSP METRIC	ISO/CD 8434-6 ISO 8434-6	27/		SAE	SAE J 1453
5/		METRIC	ISO 8434-1-L	28/		SAE	SAE J 514
6/		METRIC	8434-1-L	34/		Flange Port Metric	ISO 6162-2B
7/		METRIC	ISO 8434-1-L	44/		Flange Port Metric	ISO 6162-2
8/		METRIC	ISO 8434-1-S	76/		Flange Head	ISO 6162-2
9/		METRIC	ISO 5676				

VALUES FIRST. **FASTER**[®]





Representative offices:

- **France - François Divet**
F-35200 RENNES - 11, Rue Jean Bras
(+33) (0) 2.99.51.44.94
francoisdivet@orange.fr
- **Germany - Benelux - Stephan Selkes**
D-45329 ESSEN - Karlstrasse, 155
(+49) (0) 201 2946510 - Fax (+49) (0) 201 2946511
sselkes@t-online.de
- **Germany - Switzerland - Austria - Hubert Stoll**
Sommerberg 15 D-89601 Schelklingen
(+49) (0) 7394 933135 - Fax (+49) (0) 7394 933136
Hubert.stoll@t-online.de

Subsidiaries:

- **CHINA - FASTER HYDRAULICS Co, Ltd.**
200233 SHANGHAI, P.R. China
n° 1289, Yishan Road, Caohejing Hi-tech Park
(+86) 021-6082 3060 - Fax (+86) 021-6082 3080
info@fasterchina.com.cn
- **INDIA - FASTER HYDRAULICS Pvt. Ltd.**
410501 DISTRICT PUNE, MAHARASTRA, India
Plot n° 10, Gate n° 108 Ambethan, Taluka Khed
(+91) 21 356 7800
info@fasterindia.com
- **BRASIL - FASTER DO BRASIL**
R. José Franklin de Moura, 25
Independência Taubaté - SP CEP: 12031-290
(+55) 12 3026 9699
info@fasterbrasil.com
- **USA - FASTER Inc.**
MAUMEE, OH 43537-9505
6560 Weatherfield, Ct.
(+1) 419-868-8197 - (+1) 800-231-2501 - Fax (+1) 419-868-8360
info@fasterinc.com

□ Headquarter

ITALY - FASTER S.p.A.
I-26027 RIVOLTA D'ADDA (CR) Italy
Via Ludovico Ariosto, 7
(+39) 0363.377211 - Fax (+39) 0363.377333
faster@faster.it - www.faster.it



Mobil : 0723 382 199